



Technical Features

- Streetlight.
- High efficiency electronic power source and duration, intended for external use.
- The system, both in CL I and in CL II, is equipped with a knife switch to interrupt the power supply at the device's opening.
- Cable plate complete with easily replaceable electronic unit with "Plug and Play" anti-inversion system.
- Replacement of the entire LED module including the upper cover.
- Pressure compensation filter in Teflon.
- Opening provides access to optics and cable box in a single, easy step by using the quick release clip in stainless steel, without using additional tools.
- To prevent accidental closure of the cover during assembly and maintenance, the device is equipped with an automatic anti-closing mechanism.
- The power supply cable accesses the device through a PG 16 cable gland (IP68).

- Insulation class I and II.
- Body and cover in die cast aluminum.
- Upper cover with cross-sectional cooling fins with highly aesthetic aspect.
- Adjustable pole mounting system in die cast aluminium.
- Coated in silver-colored polyester powders (RAL 9006).
- Gaskets in anti-aging rubber.
- Extra-clear tempered glass, 4mm thick.
- Closure clip in stainless steel.

Upon Request





- At colour temperature 3000K.
- Connection for operation on 230V-50/60Hz with dimmer dali or 1-10VDC ballast.



To ensure the degree of protection (sealing), the use of flexible power supply cable type H07RN-F (in appropriate diameter) is required.



PROXIMO CITY

PROXIMO CITY




C max = 15°
LED 4x4mmq

PROXIMO CITY M-Class



LUMINAIRES WITH EXTRA PROTECTION



- Tempered protection glass 4mm thick.
- CL I: surge protection up to 10kV, both in common and differential mode.
- CL II: surge up to 10kV in common mode, 6kV in differential mode.
- Aluminium body.
- Colour temperature 4000K.
- CRI: min. 70.

Code	Description	Lumen Output (from luminaire)	Kg
7295213	Proximo City LED AB1 6LEDX 44W CL I	6700	10,450
7295223	Proximo City LED AB1 6LEDX 52W CL I	7700	10,450
7295233	Proximo City LED AB1 6LEDX 58W CL I	8500	10,450
7295243	Proximo City LED AB1 6LEDX 66W CL I	9300	10,450
7295253	Proximo City LED AB1 6LEDX 73W CL I	10140	10,450
7295313	Proximo City LED AB1 9LEDX 85W CL I	12600	10,500
7295323	Proximo City LED AB1 9LEDX 98W CL I	13600	10,500
7295333	Proximo City LED AB1 9LEDX 109W CL I	14900	10,500
7295413	Proximo City LED AB1 12LEDX 99W CL I	14700	10,600
7295423	Proximo City LED AB1 12LEDX 115W CL I	15800	10,600
7295433	Proximo City LED AB1 12LEDX 130W CL I	17400	10,600
7295443	Proximo City LED AB1 12LEDX 144W CL I	19130	10,600
7295513	Proximo City LED AB1 15LEDX 122W CL I	17700	10,750
7295523	Proximo City LED AB1 15LEDX 140W CL I	19200	10,750
7295533	Proximo City LED AB1 15LEDX 158W CL I	21400	10,750
7296213	Proximo City LED AB1 6LEDX 44W CL II	6700	10,450
7296223	Proximo City LED AB1 6LEDX 52W CL II	7700	10,450
7296233	Proximo City LED AB1 6LEDX 58W CL II	8500	10,450
7296243	Proximo City LED AB1 6LEDX 66W CL II	9300	10,450
7296253	Proximo City LED AB1 6LEDX 73W CL II	10140	10,450
7296313	Proximo City LED AB1 9LEDX 85W CL II	12600	10,500
7296323	Proximo City LED AB1 9LEDX 98W CL II	13600	10,500
7296333	Proximo City LED AB1 9LEDX 109W CL II	14900	10,500
7296413	Proximo City LED AB1 12LEDX 99W CL II	14700	10,600
7296423	Proximo City LED AB1 12LEDX 115W CL II	15800	10,600
7296433	Proximo City LED AB1 12LEDX 130W CL II	17400	10,600
7296443	Proximo City LED AB1 12LEDX 144W CL II	19130	10,600
7296513	Proximo City LED AB1 15LEDX 122W CL II	17700	10,750
7296523	Proximo City LED AB1 15LEDX 140W CL II	19200	10,750
7296533	Proximo City LED AB1 15LEDX 158W CL II	21400	10,750



- Tempered protection glass 4mm thick.
- CL I or CL II version.
- Aluminium body.
- Colour temperature 4000K.
- CRI: min. 70.

Code	Description	Lumen Output (from luminaire)	Kg
7293103	Proximo City LED M-Class 80W CL I	9593	9,200
7293203	Proximo City LED M-Class 105W CL I	11418	9,200
7293303	Proximo City LED M-Class 125W CL I	15100	9,200
7294103	Proximo City LED M-Class 80W CL II	9593	9,200
7294203	Proximo City LED M-Class 105W CL II	11418	9,200
7294303	Proximo City LED M-Class 125W CL II	15100	9,200

PROXIMO CITY

LUMINAIRES WITH EXTRA PROTECTION



PROXIMO CITY

LUMINAIRES WITH EXTRA PROTECTION

