



This luminaire has an imposing scale and an industrial, minimal design. Perfect when hunged in a room that needs a touch of personality and a strong architectural identity.

Technical Features



- Aluminium body, painted in selected colour.
- Aluminium or prismatic reflector selection.
- Canopy in white colour (for aluminium reflector).
- Suspension with 1m cord 3x0,75mm².
- Pure light without IR/UV radiation.
- Glass lens with wide light distribution.
- Efficient thermal management.
- 2000 or 3000 lumen package selection.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation in 230V/50Hz.

Upon request

- Textile cord in white or red colour.

ARMONIA


ARMONIA BODY



- 1m suspension cable, adjustable.
- Flat finish.
- Aluminium rosette $\varnothing 70\text{mm}$.
- Glass lens with wide light distribution.
- Dimmer Phase Cut.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
 - 20W: 4000 K: 95 Lm/Watt
 - 20W: 3000 K: 90 Lm/Watt
 - 30W: 4000 K: 95 Lm/Watt
 - 30W: 3000 K: 90 Lm/Watt

Code	Description	Kg
87701	ARMONIA Body 20W LED Warm	1,500
87702	ARMONIA Body 20W LED Neutral	1,500
87703	ARMONIA Body 30W LED Warm	1,500
87704	ARMONIA Body 30W LED Neutral	1,500

ARMONIA ALUMINIUM REFLECTOR



- Version for LED CHIP.

Code	Description	Kg
80745	Armonia Reflector $\varnothing 315$	0,420

ARMONIA PRISMATIC REFLECTOR



ARMONIA PRISMATIC REFLECTOR

ARMONIA PRISMATIC REFLECTOR

ARMONIA PRISMATIC REFLECTOR

ARMONIA PRISMATIC REFLECTOR

ARMONIA PRISMATIC REFLECTOR



- Version for LED CHIP.

Code	Description	Kg
807303	Armonia Plastic Reflector $\varnothing 315$	0,410

Colour Codes:

0 Colours 1 White 2 Titan 3 Black



