



YES SHOW LED is a cutting-edge luminaire for high-bay storage facilities / warehouses. With its high efficiency, long service-life and compact design fulfils all the requirements of industrial lighting.

Technical Features



- Die-cast aluminium body, painted electrostatically in silver colour.
- Reflector from aluminum, painted electrostatically white inside and silver outside.
- Tempered glass lens.
- Input of the power cable through cable gland type PG 13,5.
- Mounted to the ceiling with a hook. Suspended with chain or cord.
- Pure light without IR/UV radiation.
- Efficient thermal management.
- 15.996 lumen in 90W neutral edition or 20.649 lumen in 135W.
- Maintained average luminous flux L80/B10 > 80000 (hr) and L70/B10 > 100000 (hr) evaluated at Ta=25°C.
- Connection for operation on 230V-50Hz.

Upon request



- Connection for operation on 230V-50/60Hz with dimmer dali or 1-10VDC ballast.
- Connection for emergency lighting system, for one or three hours.

YES SHOW LED

YES SHOW LED



YES SHOW LED (with one module)



YES SHOW LED ACCESSORIES



LUMINAIRES WITH EXTRA PROTECTION



- Aluminium body in silver colour.
- Aluminium reflector.
- Wide beam.
- Efficiency:
 - 90W: 6500 K: 15996 Lumen, CRI: min. 80
 - 90W: 4000 K: 15495 Lumen, CRI: min. 80
 - 90W: 3000 K: 15030 Lumen, CRI: min. 80
 - 135W: 6500 K: 21978 Lumen, CRI: min. 80
 - 135W: 4000 K: 21288 Lumen, CRI: min. 80
 - 135W: 3000 K: 20649 Lumen, CRI: min. 80
- Maximum: 177,8 Lm/W

Code	Description	Kg
112233	YES SHOW LED Titan 90W Warm	9,000
112243	YES SHOW LED Titan 90W Neutral	9,000
112313	YES SHOW LED Titan 90W Cool	9,000
112253	YES SHOW LED Titan 135W Warm	9,000
112263	YES SHOW LED Titan 135W Neutral	9,000
112323	YES SHOW LED Titan 135W Cool	9,000
112273	YES SHOW LED White 90W Warm	9,000
112283	YES SHOW LED White 90W Neutral	9,000
112333	YES SHOW LED White 90W Cool	9,000
112293	YES SHOW LED White 135W Warm	9,000
112303	YES SHOW LED White 135W Neutral	9,000
112343	YES SHOW LED White 135W Cool	9,000



- Aluminium body in silver colour.
- Aluminium reflector.
- Wide beam.
- Efficiency:
 - 90W: 6500 K: 14583 Lumen, CRI: min. 80
 - 90W: 4000 K: 14125 Lumen, CRI: min. 80
 - 90W: 3000 K: 13701 Lumen, CRI: min. 80
- Maximum: 162 Lm/W

Code	Description	Kg
112353	YES SHOW LED Titan 90W Warm	9,000
112363	YES SHOW LED Titan 90W Neutral	9,000
112393	YES SHOW LED Titan 90W Cool	9,000
112373	YES SHOW LED White 90W Warm	9,000
112383	YES SHOW LED White 90W Neutral	9,000
112403	YES SHOW LED White 90W Cool	9,000

- **Tempered glass** or PMMA cover complete with stainless steel springs and silicon gasket. Recommended to use for HACCP certifications.
- To convert to IP66.

Code	Description
101201	TEMPERED GLASS C
101407	PMMA COVER C

YES SHOW LED

LUMINAIRES WITH EXTRA PROTECTION

