

An extraordinary luminaire for people with fascinating personality. Designed to be the centerpiece of each room, it emits a gentle diffuse light thanks to its latest technological LED source.

Technical Features

- Aluminium body, painted electrostatically in selected colour.
- Steel mounting base.

- Supplied with one meter transparent cable.
 High efficient polycarbonate satin cover.
 Connection for operation with 230V/50Hz.

Decorative Lighting

YPSILON SMALL




- Aluminium body.
- 230V/50Hz.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy: 140Lm/W at 4000 K
- 133Lm/W at 3000 K

Code	Description	
82005102	Ypsilon Small 12W Warm	
82005103	Ypsilon Small 12W Neutral	








CE	IP 40	850 °C	LED	years 5 WARRANTY	ta 25ºC	Included	
-----------	--------------	---------------	-----	------------------------	------------	----------	--

- Aluminium body.
- 230V/50Hz.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy: 140Lm/W at 4000 K
- 133Lm/W at 3000 K
- 133LIII/W at 3000 K

Code	Description
82005112	Ypsilon Medium 24W Warm
82005113	Ypsilon Medium 24W Neutral

ROSETTE & TRACK








- Body from aluminium profile.

Code	Description	
82060	Rosette ∅70	
82061	Track 950x40	
82062	Track 1200x40	
82063	Track 1600x40	



YPSILON

Decorative Lighting



YPSILON

Decorative Lighting

