MORFI is not just a customised product with an innovative design, but also a working tool for the lighting designers and engineers. It combines the aesthetic with the latest LED technological standards and meets the various needs of the customers in a bespoke way: it allows them to "think big" offering totally unexpected results even to large scale projects.

Technical Features

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- Pure light without IR/UV radiation.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation on 230V/50Hz.

Upon Request

- At special shapes and dimensions.
- Connection for operation on 230V-50/60Hz with dimmer dali or 1-10VDC ballast.
- With mirror *



MORFI SMALL OUT





IP 40 | LED | 5 years WARRANTY | ta 25°C | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K



Code	Description	Dimensions mm		
		ØA	ØB	C
8200000	Morfi Small 1 In 30W 24V DC	610	570	25
8200001	Morfi Small 1 Out 30W 24V DC	610	570	25
8200002	Morfi Small 2 In 40W 24V DC	805	765	25
8200003	Morfi Small 2 Out 40W 24V DC	805	765	25
8200004	Morfi Small 3 In 55W 24V DC	1090	1050	25
8200005	Morfi Small 3 Out 55W 24V DC	1090	1050	25
8200006	Morfi Small 4 In 70W 24V DC	1470	1430	25
8200007	Morfi Small 4 Out 70W 24V DC	1470	1430	25

MORFI SMALL IN





LED COLOUR CODES: 2 Warm 3 Neutral

Colour Codes: 0 Colours 1 White 2 Titan 3 Black

MORFI

MORFI SMALL OUT LO (Low Output)





IP 40 | LED | 5 years WARRANTY | ta 25ºC | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  100Lm/W at 4000 K
  95Lm/W at 3000 K



Code	Description	Dimensions mm		
		ØA	ØB	C
8202000	Morfi Small 1 In LO 20W 24V DC	610	570	25
8202001	Morfi Small 1 Out LO 20W 24V DC	610	570	25
8202002	Morfi Small 2 In LO 25W 24V DC	805	765	25
8202003	Morfi Small 2 Out LO 25W 24V DC	805	765	25
8202004	Morfi Small 3 In LO 35W 24V DC	1090	1050	25
8202005	Morfi Small 3 Out LO 35W 24V DC	1090	1050	25
8202006	Morfi Small 4 In LO 46W 24V DC	1470	1430	25
8202007	Morfi Small 4 Out LO 46W 24V DC	1470	1430	25

MORFI SMALL IN LO (Low Output)





LED COLOUR CODES:
2 Warm | 3 Neutral

Colour Codes:
0 Colours | 1 White | 2 Titan | 3 Black

MORFI SMALL DOWN



IP 40 | LED | 5 years WARRANTY | ta 25ºC | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  100Lm/W at 4000 K
  95Lm/W at 3000 K

Code	Description	Dimensions mm		
		ØA	ØB	C
8201000	Morfi Small 1 Down 20W 24V DC	630	580	21
8201002	Morfi Small 2 Down 25W 24V DC	780	730	21
8201004	Morfi Small 3 Down 35W 24V DC	1100	1050	21
8201006	Morfi Small 4 Down 46W 24V DC	1450	1400	21

Note:
Use Down version in synthesis only with LO version of In and Out edition to achive uniform lighting.

MORFI SMALL UP



IP 20 | LED | 5 years WARRANTY | ta 25ºC | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  100Lm/W at 4000 K
  95Lm/W at 3000 K

Code	Description	Dimensions mm		
		ØA	ØB	C
8203000	Morfi Small 1 Up 20W 24V DC	630	580	21
8203002	Morfi Small 2 Up 25W 24V DC	780	730	21
8203004	Morfi Small 3 Up 35W 24V DC	1100	1050	21
8203006	Morfi Small 4 Up 46W 24V DC	1450	1400	21

Note:
Use Up version in synthesis only with LO version of In and Out edition to achive uniform lighting.



LED COLOUR CODES: 2 Warm 3 Neutral

Colour Codes: 0 Colours 1 White 2 Titan 3 Black

MORFI

MORFI MEDIUM IN





IP 40 | LED | 5 years WARRANTY | ta 25°C | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m up to 80W and 4x0,75mm² 2,5m for more than 80W.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K



Code	Description	Dimensions mm		
		ØA	ØB	C
8200010■ ■	Morfi Medium 1 In 30W 24V DC	610	560	48
8200011■ ■	Morfi Medium 1 Out 30W 24V DC	610	560	48
8200012■ ■	Morfi Medium 2 In 40W 24V DC	805	755	48
8200013■ ■	Morfi Medium 2 Out 40W 24V DC	810	760	48
8200014■ ■	Morfi Medium 3 In 55W 24V DC	1090	740	48
8200015■ ■	Morfi Medium 3 Out 55W 24V DC	1100	1050	48
8200016■ ■	Morfi Medium 4 In 70W 24V DC	1470	1420	48
8200017■ ■	Morfi Medium 4 Out 70W 24V DC	1480	1430	48
8200020■ ■	Morfi Medium 1 In2 60W 24V DC	610	560	48
8200021■ ■	Morfi Medium 1 Out2 60W 24V DC	610	560	48
8200022■ ■	Morfi Medium 2 In2 80W 24V DC	805	755	48
8200023■ ■	Morfi Medium 2 Out2 80W 24V DC	810	760	48
8200024■ ■	Morfi Medium 3 In2 105W 24V DC	1090	740	48
8200025■ ■	Morfi Medium 3 Out2 105W 24V DC	1100	1050	48
8200026■ ■	Morfi Medium 4 In2 140W 24V DC	1470	1420	48
8200027■ ■	Morfi Medium 4 Out2 140W 24V DC	1480	1430	48

MORFI MEDIUM OUT







LED COLOUR CODES:
2 Warm 3 Neutral

Colour Codes:
0 Colours 1 White 2 Titan 3 Black

MORFI MEDIUM IN LO (Low Output)





IP 40 | LED | 5 years WARRANTY | ta 25°C | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m up to 80W and 4x0,75mm² 2,5m for more than 80W.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  100Lm/W at 4000 K
  95Lm/W at 3000 K



Code	Description		Dimensions mm		
			ØA	ØB	C
8202020	Morfi Medium 1 In2	LO 40W 24V DC	610	560	48
8202021	Morfi Medium 1 Out2	LO 40W 24V DC	610	560	48
8202022	Morfi Medium 2 In2	LO 50W 24V DC	805	755	48
8202023	Morfi Medium 2 Out2	LO 50W 24V DC	810	760	48
8202024	Morfi Medium 3 In2	LO 70W 24V DC	1090	740	48
8202025	Morfi Medium 3 Out2	LO 70W 24V DC	1100	1050	48
8202026	Morfi Medium 4 In2	LO 95W 24V DC	1470	1420	48
8202027	Morfi Medium 4 Out2	LO 95W 24V DC	1480	1430	48

MORFI MEDIUM OUT LO (Low Output)







LED COLOUR CODES:
2 Warm 3 Neutral

Colour Codes:
0 Colours 1 White 2 Titan 3 Black

MORFI MEDIUM DOWN





IP 40 | LED | 5 years WARRANTY | ta 25ºC | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m up to 80W and 4x0,75mm² 2,5m for more than 80W.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  100Lm/W at 4000 K
  95Lm/W at 3000 K

Code	Description	Dimensions mm		
		ØA	ØB	C
8201024	Morfi Medium 3 Down2 70W 24V DC	1100	1004	25
8201026	Morfi Medium 4 Down2 95W 24V DC	1450	1354	25

Note:
Use Down version in synthesis only with LO version of In and Out edition to achive uniform lighting.

MORFI MEDIUM UP





IP 20 | LED | 5 years WARRANTY | ta 25ºC | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m up to 80W and 4x0,75mm² 2,5m for more than 80W.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  100Lm/W at 4000 K
  95Lm/W at 3000 K

Code	Description	Dimensions mm		
		ØA	ØB	C
8203024	Morfi Medium 3 Up2 70W 24V DC	1100	1004	25
8203026	Morfi Medium 4 Up2 95W 24V DC	1450	1354	25

Note:
Use Up version in synthesis only with LO version of In and Out edition to achive uniform lighting.

LED COLOUR CODES: 2 Warm 3 Neutral

Colour Codes: 0 Colours 1 White 2 Titan 3 Black

MORFI

MORFI BIG IN







CE | F | IP 40 | LED | 5 years WARRANTY | ta 25°C | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m up to 80W and 4x0,75mm² 2,5m for more than 80W.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K

Code	Description	Dimensions mm		
		ØA	ØB	C
8200032	Morfi Big 2 In 80W 24V DC	800	724	68
8200033	Morfi Big 2 Out 80W 24V DC	790	714	68
8200034	Morfi Big 3 In 105W 24V DC	1090	1014	68
8200035	Morfi Big 3 Out 105W 24V DC	1120	1044	68
8200036	Morfi Big 4 In 140W 24V DC	1450	1374	68
8200037	Morfi Big 4 Out 140W 24V DC	1470	1394	68

MORFI BIG OUT









LED COLOUR CODES:	Colour Codes:
2 Warm 3 Neutral	0 Colours 1 White 2 Titan 3 Black

MORFI

MORFI MEDIUM DOWN HO



IP **40** | **LED** | 5 years WARRANTY | ta 25°C | not included

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 5x0,5mm² 2,5m.
- Rosette, driver and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  4000 K: 169Lm/W at 350mA
  3000 K: 161Lm/W at 350mA

Code	Description	Dimensions mm		
		ØA	ØB	C
8201030	Morfi Medium 3 Down HO 94W	1100	1004	25
8201031	Morfi Medium 4 Down HO 125W	1450	1354	25





LED COLOUR CODES:	Colour Codes:
2 Warm 3 Neutral	0 Colours 1 White 2 Titan 3 Black



MORFI PETAL



IP **40** | **LED** | years 5 WARRANTY | ta 25°C | not included

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- Rosette, driver and suspension not included.
- 3 pieces of suspension needed.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K

Code	Description
8200040	Morfi Petal ø800 27W 24V DC
8200041	Morfi Petal ø800 54W 24V DC



MORFI IN PENDANT

IP **40** | **LED** | years 5 WARRANTY | ta 25°C | not included

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- Rosette and fixed suspension included.
- Driver installation in a separate wicket.
- Driver out of the body (not included).
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K



Code	Description
8200570	Morfi In Pendant 40W 24V DC



LED COLOUR CODES: 2 Warm 3 Neutral

Colour Codes: 0 Colours 1 White 2 Titan 3 Black

MORFI SMALL NET



IP **40** | **LED** | 5 years WARRANTY | ta 25°C | not included

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- Rosette, driver and suspension not included.
- 4 pieces of suspension needed.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  100Lm/W at 4000 K
  100Lm/W at 3000 K

Code	Description
8200736	Morfi Small Net 55W 24V DC



LED COLOUR CODES: 2 Warm 3 Neutral

Colour Codes: 0 Colours 1 White 2 Titan 3 Black

MORFI

MORFI SMALL PART





Code	Description	Dimensions mm			
		ØA	B	C(o)	D
8200100	Morfi Small 5 Part In 32W 24V DC	2010-1960	1740	120	25
8200101	Morfi Small 5 Part Out 32W 24V DC	2010-1960	1775	120	25
8200102	Morfi Small 6 Part In 29W 24V DC	3030-2980	1780	72	25
8200103	Morfi Small 6 Part Out 29W 24V DC	3020-2970	1800	72	25
8200104	Morfi Small 7 Part In 27W 24V DC	4020-3970	1745	51,43	25
8200105	Morfi Small 7 Part Out 27W 24V DC	4010-3960	1760	51,43	25
8200106	Morfi Small 8 Part In 30W 24V DC	5100-5050	1950	45	25
8200107	Morfi Small 8 Part Out 30W 24V DC	5100-5050	1970	45	25



- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K

LED COLOUR CODES:
2 Warm 3 Neutral

Colour Codes:
0 Colours 1 White 2 Titan 3 Black

MORFI

MORFI MEDIUM PART







Code	Description	Dimensions mm			
		ØA	B	C(o)	D
8200110	Morfi Medium 5 Part In 32W 24V DC	2010-1960	1740	120	48
8200111	Morfi Medium 5 Part Out 30W 24V DC	1960-1910	1700	120	48
8200112	Morfi Medium 6 Part In 29W 24V DC	3030-2980	1780	72	48
8200113	Morfi Medium 6 Part Out 29W 24V DC	3080-3030	1810	72	48
8200114	Morfi Medium 7 Part In 27W 24V DC	4020-3970	1745	51,43	48
8200115	Morfi Medium 7 Part Out 27W 24V DC	4060-4010	1760	51,43	48
8200116	Morfi Medium 8 Part In 30W 24V DC	5100-5050	1950	45	48
8200117	Morfi Medium 8 Part Out 29W 24V DC	4890-4840	1780	45	48
8200120	Morfi Medium 5 Part In2 63W 24V DC	2010-1960	1740	120	48
8200121	Morfi Medium 5 Part Out2 60W 24V DC	1960-1910	1700	120	48
8200122	Morfi Medium 6 Part In2 57W 24V DC	3030-2980	1780	72	48
8200123	Morfi Medium 6 Part Out2 57W 24V DC	3080-3030	1810	72	48
8200124	Morfi Medium 7 Part In2 54W 24V DC	4020-3970	1745	51,43	48
8200125	Morfi Medium 7 Part Out2 54W 24V DC	4060-4010	1760	51,43	48
8200126	Morfi Medium 8 Part In2 60W 24V DC	5100-5050	1950	45	48
8200127	Morfi Medium 8 Part Out2 57W 24V DC	4890-4840	1780	45	48



- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K

LED COLOUR CODES: 2 Warm 3 Neutral

Colour Codes: 0 Colours 1 White 2 Titan 3 Black

MORFI

MORFI BIG PART



Code	Description	Dimensions mm			
		ØA	B	C(o)	D
8200130■ ■	Morfi Big 5 Part In 63W 24V DC	2010-1934	1740	120	68
8200131■ ■	Morfi Big 5 Part Out 60W 24V DC	1980-1904	1715	120	68
8200132■ ■	Morfi Big 6 Part In 54W 24V DC	3030-2954	1780	72	68
8200133■ ■	Morfi Big 6 Part Out 54W 24V DC	2930-2854	1720	72	68
8200134■ ■	Morfi Big 7 Part In 54W 24V DC	4020-3944	1745	51,43	68
8200135■ ■	Morfi Big 7 Part Out 54W 24V DC	4080-4004	1770	51,43	68
8200136■ ■	Morfi Big 8 Part In 60W 24V DC	5100-5024	1950	45	68
8200137■ ■	Morfi Big 8 Part Out 57W 24V DC	4910-4834	1880	45	68

CE | F | IP 40 | LED | 5 years WARRANTY | ta 25°C | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m.
- Rosette, driver 24V DC and suspensions not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K

LED COLOUR CODES: 2 Warm 3 Neutral

Colour Codes: 0 Colours 1 White 2 Titan 3 Black

MORFI

MORFI ROSETTE AND SUSPENSION





- For pendant use.
- Body from aluminium profile.
- Driver and suspensions not included.

Code	Description
82050▪	Rosette ∅250
82051▪	Rosette ∅300
82052▪	Rosette ∅420
82053▪	Rosette ∅500
900101	Single Suspension Morfi 1m (3 pieces needed)*
900103	Single Suspension Morfi 2m (3 pieces needed)*
900104	Single Suspension Morfi 3m (3 pieces needed)*
900105	Single Suspension Morfi 4m (3 pieces needed)*

* For installation at the rosette

Colour Codes:
0 Colours | 1 White | 2 Titan | 3 Black

DRIVERS

Code	Description
800099	Driver 50W 24V DC
800098	Driver 100W 24V DC
800058	Driver 150W 24V DC
800088	Driver 320W 24V DC
800157	Driver 50W 350mA (only for HO version)
800158	Driver 65W 350mA (only for HO version)
800018	Driver 60W 24V DC Dimmer Dali / Push Button
800017	Driver 100W 24V DC Dimmer Dali / Push Button
800108	Driver 150W 24V DC Dimmer Dali / Push Button
800159	Driver 50W 350mA Dimmer Dali / Push Button (only for HO version)
800160	Driver 75W 350mA Dimmer Dali / Push Button (only for HO version)
800101	Driver 60W 24V DC Dimmer Phase cut
800102	Driver 100W 24V DC Dimmer Phase cut

ROSETTE AND DRIVER SELECTION

DESCRIPTION			ELECTRONIC		DIMMER		
MORFI IN/OUT	MORFI DOWN / UP	MORFI IN/OUT LO	ROSETTE/CODE	DRIVER/CODE	ROSETTE/CODE	DRIVER (Dali/Push Button) /Code	DRIVER (Phase Cut) /Code
Small 1 In/Out 30W	Small 1 Down/ Up 20W	Small 1 In/Out LO 20W	∅250/82050x	50W/800099	∅300/82051x	60W/800018	60W/800101
Small 2 In/Out 40W	Small 2 Down/ Up 25W	Small 2 In/Out LO 25W	∅250/82050x	50W/800099	∅300/82051x	60W/800018	60W/800101
	Small 3 Down/ Up 35W	Small 3 In/Out LO 35W	∅250/82050x	50W/800099	∅300/82051x	60W/800018	60W/800101
Small 3 In/Out 55W	Small 4 Down/ Up 46W	Small 4 In/Out LO 46W	∅250/82050x	100W/800098	∅300/82051x	60W/800018	60W/800101
Small 4 In/Out 70W			∅250/82050x	100W/800098	∅420/82052x	100W/800017	100W/800102
Medium 1 In/Out 30W			∅250/82050x	50W/800099	∅300/82051x	60W/800018	60W/800101
Medium 2 In/Out 40W		Medium 1 In2/ Out2 LO 40W	∅250/82050x	50W/800099	∅300/82051x	60W/800018	60W/800101
Medium 3 In/Out 55W		Medium 2 In2/ Out2 LO 50W	∅250/82050x	100W/800098	∅300/82051x	60W/800018	60W/800101
Medium 4 In/Out 70W		Medium 3 In2/ Out2 LO 70W	∅250/82050x	100W/800098	∅420/82052x	100W/800017	100W/800102
Medium 1 In2/Out2 60W			∅250/82050x	100W/800098	∅420/82052x	100W/800017	100W/800102
Medium 2 In2/Out2 80W	Medium 3 Down2/ Up2 70W		∅250/82050x	100W/800098	∅420/82052x	100W/800017	100W/800102
Medium 3 In2/Out2 105W	Medium 4 Down2/ Up2 95W	Medium 4 In2/ Out2 LO 95W	∅300/82051x	150W/800058	∅420/82052x	2x60W/2x800018	2x60W/2x800101
Medium 4 In2/Out2 140W			∅300/82051x	150W/800058	∅420/82052x	2x100W/2x800017	2x100W/2x800102
Big 2 In/Out 80W			∅250/82050x	100W/800098	∅420/82052x	100W/800017	100W/800102
Big 3 In/Out 105W			∅300/82051x	150W/800058	∅420/82052x	2x60W/2x800018	2x60W/2x800101
Big 4 In/Out 140W			∅300/82051x	150W/800058	∅420/82052x	2x100W/2x800017	2x100W/2x800102
Synthesis of Morfi			∅500/82053x	2x320W/2x800088	∅500/82053x	3x100W/3x800017	3x100W/3x800102
Synthesis of Morfi			∅500/82053x	2x320W/2x800088	∅500/82053x	2x100W+2x150W / 2x800017+2x800108	3x100W/3x800102

ROSETTE AND DRIVER SELECTION (for HO version)

DESCRIPTION	ELECTRONIC		DIMMER	
MORFI DOWN HO	ROSETTE/CODE	DRIVER/CODE	ROSETTE/CODE	DRIVER (Dali/Push Button) /Code
Medium 3 HO 94W	∅420/82052x	2x50W 350mA/2x800157	∅420/82052x	2x50W 350mA/2x800159
Medium 4 HO 125W	∅420/82052x	2x65W 350mA/2x800158	∅420/82052x	2x75W 350mA/2x800160

MORFI ROSETTE MASIF AND SUSPENSION



- For pendant use.
- Body from aluminium.
- Driver and suspensions not included.

Code	Description
82055■	Rosette Masif ∅260
82056■	Rosette Masif ∅300
82057■	Rosette Masif ∅430
900101	Single Suspension Morfi 1m (3 pieces needed)*
900103	Single Suspension Morfi 2m (3 pieces needed)*
900104	Single Suspension Morfi 3m (3 pieces needed)*
900105	Single Suspension Morfi 4m (3 pieces needed)*

* For installation at the rosette

Colour Codes:
0 Colours 1 White 2 Titan 3 Black

DRIVERS

Code	Description
800099	Driver 50W 24V DC
800098	Driver 100W 24V DC
800058	Driver 150W 24V DC
800088	Driver 320W 24V DC
800157	Driver 50W 350mA (only for HO version)
800158	Driver 65W 350mA (only for HO version)
800018	Driver 60W 24V DC Dimmer Dali / Push Button
800017	Driver 100W 24V DC Dimmer Dali / Push Button
800108	Driver 150W 24V DC Dimmer Dali / Push Button
800159	Driver 50W 350mA Dimmer Dali / Push Button (only for HO version)
800160	Driver 75W 350mA Dimmer Dali / Push Button (only for HO version)
800101	Driver 60W 24V DC Dimmer Phase cut
800102	Driver 100W 24V DC Dimmer Phase cut

ROSETTE MASIF AND DRIVER SELECTION

DESCRIPTION			ELECTRONIC		DIMMER		
MORFI IN/OUT	**MORFI DOWN / UP**	**MORFI IN/OUT LO**	**ROSETTE/CODE**	**DRIVER/CODE**	**ROSETTE/CODE**	**DRIVER** (Dali/Push Button)	**DRIVER** (Phase Cut)
						/Code	**/Code**
Small 1 In/Out 30W	Small 1 Down/ Up 20W	Small 1 In/Out LO 20W	∅260/82055x	50W/800099	∅260/82055x	60W/800018	60W/800101
Small 2 In/Out 40W	Small 2 Down/ Up 25W	Small 2 In/Out LO 25W	∅260/82055x	50W/800099	∅260/82055x	60W/800018	60W/800101
	Small 3 Down/ Up 35W	Small 3 In/Out LO 35W	∅260/82055x	50W/800099	∅260/82055x	60W/800018	60W/800101
Small 3 In/Out 55W	Small 4 Down/ Up 46W	Small 4 In/Out LO 46W	∅260/82055x	100W/800098	∅260/82055x	60W/800018	60W/800101
Small 4 In/Out 70W			∅260/82055x	100W/800098	∅300/82056x	100W/800017	100W/800102
Medium 1 In/Out 30W			∅260/82055x	50W/800099	∅260/82055x	60W/800018	60W/800101
Medium 2 In/Out 40W		Medium 1 In2/ Out2 LO 40W	∅260/82055x	50W/800099	∅260/82055x	60W/800018	60W/800101
Medium 3 In/Out 55W		Medium 2 In2/ Out2 LO 50W	∅260/82055x	100W/800098	∅260/82055x	60W/800018	60W/800101
Medium 4 In/Out 70W		Medium 3 In2/ Out2 LO 70W	∅260/82055x	100W/800098	∅300/82056x	100W/800017	100W/800102
Medium 1 In2/Out2 60W			∅260/82055x	100W/800098	∅300/82056x	100W/800017	100W/800102
Medium 2 In2/Out2 80W	Medium 3 Down2/ Up2 70W		∅260/82055x	100W/800098	∅300/82056x	100W/800017	100W/800102
Medium 3 In2/Out2 105W	Medium 4 Down2/ Up2 95W	Medium 4 In2/ Out2 LO 95W	∅300/82056x	150W/800058	∅300/82056x	2x60W/2x800018	2x60W/2x800101
Medium 4 In2/Out2 140W			∅300/82056x	150W/800058	∅300/82056x	2x100W/2x800017	2x100W/2x800102
Big 2 In/Out 80W			∅260/82055x	100W/800098	∅300/82056x	100W/800017	100W/800102
Big 3 In/Out 105W			∅300/82056x	150W/800058	∅300/82056x	2x60W/2x800018	2x60W/2x800101
Big 4 In/Out 140W			∅300/82056x	150W/800058	∅300/82056x	2x100W/2x800017	2x100W/2x800102
Synthesis of Morfi			∅430/82057x	2x320W/2x800088	∅430/82057x	4x100W/4x800017	4x100W/4x800102
Synthesis of Morfi			∅430/82057x	2x320W/2x800088	∅430/82057x	4x150W/4x800108	4x100W/4x800102

ROSETTE AND DRIVER SELECTION (for HO version)

DESCRIPTION	ELECTRONIC		DIMMER	
MORFI DOWN HO	**ROSETTE/CODE**	**DRIVER/CODE**	**ROSETTE/CODE**	**DRIVER** (Dali/Push Button)
				/Code
Medium 3 HO 94W	∅430/82057x	2x50W 350mA/2x800157	∅430/82057x	2x50W 350mA/2x800159
Medium 4 HO 125W	∅430/82057x	2x65W 350mA/2x800158	∅430/82057x	2x75W 350mA/2x800160

MORFI

POWER SUPPLY

- For pendant use.
- Body from aluminium profile.

Code	Description	Kg
82067	Rozette ∅80	0,100

SINGLE SUSPENSION

- For pendant use.

Code	Description
900112	Single Suspension 1m (3 pieces needed)*
900114	Single Suspension 2m (3 pieces needed)*
900116	Single Suspension 3m (3 pieces needed)*

* For installation at the ceiling

SURFACE BASE MORFI



- Aluminium body.

Code	Description
82064	Surface Base Morfi L30mm (3 pieces needed)*
82065	Surface Base Morfi L50mm (3 pieces needed)*
82066	Surface Base Morfi L70mm (3 pieces needed)*

* For surface installation of Morfi

Colour Codes:
0 Colours | 1 White | 2 Titan | 3 Black

DRIVERS

Code	Description
800099	Driver 50W 24V DC
800098	Driver 100W 24V DC
800058	Driver 150W 24V DC
800088	Driver 320W 24V DC
800157	Driver 50W 350mA (only for HO version)
800158	Driver 65W 350mA (only for HO version)
800018	Driver 60W 24V DC Dimmer Dali / Push Button
800017	Driver 100W 24V DC Dimmer Dali / Push Button
800108	Driver 150W 24V DC Dimmer Dali / Push Button
800159	Driver 50W 350mA Dimmer Dali / Push Button (only for HO version)
800160	Driver 75W 350mA Dimmer Dali / Push Button (only for HO version)
800101	Driver 60W 24V DC Dimmer Phase cut
800102	Driver 100W 24V DC Dimmer Phase cut

MORFI

MORFI SMALL WAVE



MORFI MEDIUM WAVE







MORFI BIG WAVE





IP **40** | **LED** | 5 years WARRANTY | ta 25°C | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm² 2,5m.
- Rosette, driver 24V DC and suspensions 2m included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K

LED COLOUR CODES: 2 Warm 3 Neutral

Colour Codes: 0 Colours 1 White 2 Titan 3 Black

Code	Description
8200300■ ■	Morfi Small Linear Wave 18W 24V DC
8200310■ ■	Morfi Medium Linear Wave 18W 24V DC
8200320■ ■	Morfi Medium Linear Wave2 36W 24V DC
8200330■ ■	Morfi Big Linear Wave 36W 24V DC
8200400■ ■	Morfi Small Linear Wave 18W 24V DC Dimmer (Dali/Push Button)
8200410■ ■	Morfi Medium Linear Wave 18W 24V DC Dimmer (Dali/Push Button)
8200420■ ■	Morfi Medium Linear Wave2 36W 24V DC Dimmer (Dali/Push Button)
8200430■ ■	Morfi Big Linear Wave 36W 24V DC Dimmer (Dali/Push Button)
8200440■ ■	Morfi Small Linear Wave 18W 24V DC Dimmer (Phase Cut)
8200450■ ■	Morfi Medium Linear Wave 18W 24V DC Dimmer (Phase Cut)
8200460■ ■	Morfi Medium Linear Wave2 36W 24V DC Dimmer (Phase Cut)
8200470■ ■	Morfi Big Linear Wave 36W 24V DC Dimmer (Phase Cut)

MORFI

MORFI SMALL WAVE DOUBLE



IP 40 | LED | 5 years WARRANTY | ta 25°C | 24VDC

- Aluminium body, painted electrostatically in selected colour.
- High efficient polycarbonate satin cover.
- With transparent cable 2x0,75mm^2 2,5m.
- Rosette, driver 24V DC and suspensions 2m included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  140Lm/W at 4000 K
  133Lm/W at 3000 K

Code	Description
8200481	Morfi Small Linear Wave Double 36W 24V DC
8200482	Morfi Small Linear Wave Double 36W 24V DC Dimmer (Dali/Push Button)
8200483	Morfi Small Linear Wave Double 36W 24V DC Dimmer (Phase Cut)

LED COLOUR CODES: 2 Warm 3 Neutral

Colour Codes: 0 Colours 1 White 2 Titan 3 Black