

**NANO 3**

Nano 3 is a track light with cylindrical or square shape. It's elegant minimal design raises the architectural interest, while it's LED source ensures excellent performance with maximum energy efficiency. It can be produced with different heights upon request. It is the perfect choice for reception halls, bars, restaurants, houses etc.

NANO 6

Nano 6 is a track light with cylindrical shape. It's elegant minimal design raises the architectural interest, while the fact that it can be produced in several heights upon request makes it the perfect choice for reception halls, bars, restaurants, houses etc.

Technical Features

- Body from aluminium profile painted electrostatically in selected colour or plated.
- With Universal adapter for mounting on 3-phase track.

For LED Version


- Pure light without IR/UV radiation.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation with Constant Current.

Upon request:

Available with highest colour rendering index (CRI)

NANO


NANO 6



- Version for PAR 16 LED GU10 lamp.
- Aluminium body.
- Inner plastic ring in black colour.
- 230V/50Hz.

Code	Description	Kg
88811	NANO 6 1x50W PAR16 LED GU10	0,750


NANO 6 PLEXI



- Version for PAR 16 LED GU10 lamp.
- Aluminium body.
- Opal PMMA diffuser.
- 230V/50Hz.

Code	Description	Kg
88812	NANO 6 PLEXI 1x50W PAR16 LED GU10	0,670


NANO 6 AS



- Version for PAR 16 LED GU10 lamp.
- Aluminium body in asymmetrical version.
- Inner plastic ring in black colour.
- Inner part in black colour (in standard version).
- 230V/50Hz.

Code	Description	Kg
88813	NANO 6 AS 1x50W PAR16 LED GU10 40cm	0,800
88814	NANO 6 AS 1x50W PAR16 LED GU10 60cm	0,900

NANO 6 AS PLEXI





- Version for PAR 16 LED GU10 lamp.
- Aluminium body in asymmetrical version.
- Opal PMMA diffuser.
- 230V/50Hz.

Code	Description	Kg
88815	NANO 6 AS PLEXI 1x50W PAR16 LED GU10 40cm	0,720
88816	NANO 6 AS PLEXI 1x50W PAR16 LED GU10 60cm	0,820

NANO

TRACK LIGHTS & TRACKS



NANO 3



- Version for LED CHIP.
- Aluminium body.
- 230V/50Hz.
- 3W power consumption driven at 350mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
3W: 4000 K: 55 Lm/Watt
3W: 3000 K: 52 Lm/Watt

Code	Description	Kg
88817	NANO 3 LED 3W 35cm	0,800


NANO 3 SQ




- Version for LED CHIP.
- Aluminium body.
- 230V/50Hz.
- 3W power consumption driven at 350mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
3W: 4000 K: 55 Lm/Watt
3W: 3000 K: 52 Lm/Watt

Code	Description	Kg
88818	NANO 3 SQ LED 3W 35cm	0,800


NANO 3/NANO 3 SQ - SPOT



NANO 3/NANO 3 SQ - MEDIUM



NANO 3/NANO 3 SQ - WIDE



LED COLOUR CODES:	BEAM CODES:	Colour Codes:
2 Warm 3 Neutral	01 spot 02 medium 03 wide	0 Colours 1 White 2 Titan 3 Black 4 Chrome 5 matt Alum.

