ROLLER is a surface mounted or suspended luminaire with cylindrical shape.
It can be produced with different heights upon request.

Technical Features

- Aluminium body.
- High efficient reflectors in Spot, Medium, Wide versions.

For LED Version

- Pure light without IR/UV radiation.
- Efficient thermal management.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).

Upon request:
Available with highest colour rendering index (CRI)

ROLLER 6 LED



IP 20 | LED | 850°C | 5 years WARRANTY | ta 25°C | 0° | 0° | Included

- Aluminium body, painted electrostatically in selected colour (inside and outside the same colour at standard version) or plated (inner part in black colour).
- Reflector in Medium, Wide versions.
- 8W power consumption driven at 350mA.
- CRI: min. 80 / SCDM: 3
- Luminous Efficacy:
  8W: 4000 K: 120 Lm/Watt
  8W: 3000 K: 114 Lm/Watt

MEDIUM



WIDE



Code	Description	Kg
88047	ROLLER 6 LED 8W 13,5cm	0,700
88048	ROLLER 6 LED 8W 30cm	1,000

For dimmer version add letter **"D"** at the end of product code.

ROLLER 9 LED





IP 20 | LED | 850°C | 5 years WARRANTY | ta 25°C | 0° | 0° | Included

- Aluminium body, painted electrostatically in selected colour or plated.
- High efficient Reflectors or Lens in Spot, Medium and Wide versions.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  15W: 4000 K: 157 Lm/Watt at 400mA
  15W: 3000 K: 150 Lm/Watt at 400mA
  26W: 4000 K: 154 Lm/Watt at 700mA
  26W: 3000 K: 148 Lm/Watt at 700mA

Code	Description	Kg
88872	ROLLER 9 LED 15W Reflector 12cm	0,900
88873	ROLLER 9 LED 15W Lens 12cm	0,900
88874	ROLLER 9 LED 26W Reflector 30cm	1,500
88875	ROLLER 9 LED 26W Lens 30cm	1,500

For dimmer version add letter **"D"** at the end of product code.

SPOT



MEDIUM



WIDE



ROLLER 12 LED SHORT

IP 20 | LED | 850°C | 5 years WARRANTY | ta 25°C



- Aluminium body, painted electrostatically in selected colour or plated.
- High efficient reflectors in Spot, Medium and Wide versions.
- 230V/50Hz module.
- Dimmer Phase Cut.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  20W: 4000 K: 95 Lm/Watt
  20W: 3000 K: 90 Lm/Watt

Code	Description	Kg
88008	ROLLER 12 LED 20W SHORT	1,200

SPOT



MEDIUM



WIDE



ROLLER 12 LED

R111/GU10
R111/G53



PAR30/E27
LED CHIP



IP 20 | LED | 850°C | 5 years WARRANTY | ta 25°C | Included | R111 LED G53 | R111 LED GU10 | PAR30 LED E27

- Aluminium body, painted electrostatically in selected colour or plated.
- High pure aluminium reflectors in Spot, Medium, Wide version.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  19W: 4000 K: 156 Lm/Watt at 500mA
  19W: 3000 K: 149 Lm/Watt at 500mA
  26W: 4000 K: 154 Lm/Watt at 700mA
  26W: 3000 K: 148 Lm/Watt at 700mA
  40W: 4000 K: 141 Lm/Watt at 1050mA
  40W: 3000 K: 136 Lm/Watt at 1050mA

Code	Description	Kg
88024	ROLLER 12 LED 1x100W max. PAR30/E27	1,400
88025	ROLLER 12 LED 1x50W max. R111/G53	1,350
88026	ROLLER 12 LED R111/GU10	1,350
88027 *	ROLLER 12 LED CHIP 19W	3,100
88030 *	ROLLER 12 LED CHIP 26W	3,100
88031 *	ROLLER 12 LED CHIP 40W	3,100

* For dimmer version add letter "**D**" at the end of product code.

ROLLER LED CHIP: SPOT



ROLLER LED CHIP: MEDIUM



ROLLER LED CHIP: WIDE



ROLLER AS



IP 20 | LED Lamp | 850°C | Included | R111 LED G53 | R111 LED GU10 | PAR30 LED E27

- Aluminium body, painted electrostatically in selected colour (inside and outside the same colour at standard version) or plated (inner part in black colour).
- 230V/50Hz.

Code	Description		Kg
88090■	ROLLER AS 1x100W max. PAR30/E27	60cm	2,000
88092■	ROLLER AS 1x100W max. PAR30/E27	80cm	2,250
88094■	ROLLER AS 1x100W max. PAR30/E27	100cm	2,500
88616■	ROLLER AS 1x50W max. LED R111/G53	60cm	2,000
88624■	ROLLER AS 1x50W max. LED R111/G53	80cm	2,250
88632■	ROLLER AS 1x50W max. LED R111/G53	100cm	2,500
88091■	ROLLER AS LED R111/GU10	60cm	1,900
88093■	ROLLER AS LED R111/GU10	80cm	2,150
88095■	ROLLER AS LED R111/GU10	100cm	2,400

ROLLER 6 LED - PENDANT



IP 20 | LED | 850°C | 5 years WARRANTY | ta 25°C | 0° | 0° | Included

- Aluminium body, painted electrostatically in selected colour (inside and outside the same colour at standard version) or plated (inner part in black colour).
- 1m suspension cable, adjustable.
- Reflector in Medium, Wide versions.
- 8W power consumption driven at 350mA.
- CRI: min. 80 / SCDM: 3
- Luminous Efficacy:
  8W: 4000 K: 120 Lm/Watt
  8W: 3000 K: 114 Lm/Watt

Code	Description	Kg
88821■■■	ROLLER 6 LED Pendant 8W 13,5cm	0,700
88828■■■	ROLLER 6 LED Pendant 8W 30cm	1,000

For dimmer version add letter **"D"** at the end of product code.

MEDIUM



WIDE



ROLLER 9 LED - PENDANT



IP 20 | LED | 850°C | 5 years WARRANTY | ta 25°C | Included

- Aluminium body, painted electrostatically in selected colour or plated.
- 1m suspension cable, adjustable.
- High efficient Reflectors or Lens in Spot, Medium and Wide versions.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  26W: 4000 K: 154 Lm/Watt at 700mA
  26W: 3000 K: 148 Lm/Watt at 700mA

Code	Description	Kg
88870	ROLLER 9 LED Pendant 26W Reflector 30cm	1,500
88871	ROLLER 9 LED Pendant 26W Lens 30cm	1,500

For dimmer version add letter **"D"** at the end of product code.

SPOT



MEDIUM



WIDE



ROLLER 12 LED SHORT - PENDANT



IP 20 | LED | 850°C | 5 years WARRANTY | ta 25°C

- Aluminium body, painted electrostatically in selected colour or plated.
- Aluminium rosette ø100mm.
- 1m suspension cable, adjustable.
- High efficient reflectors in Spot, Medium and Wide versions.
- 230V/50Hz module.
- Dimmer Phase Cut.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
  20W: 4000 K: 95 Lm/Watt
  20W: 3000 K: 90 Lm/Watt

Code	Description	Kg
88824	ROLLER 12 LED 20W SHORT Pendant	1,200

SPOT



MEDIUM



WIDE



ROLLER 12 LED - PENDANT



- Aluminium body, painted electrostatically in selected colour or plated.
- Aluminium rosette ⌀100mm.
- 1m suspension cable, adjustable.
- High pure aluminium reflectors in Spot, Medium, Wide version.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:

19W: 4000 K: 156 Lm/Watt at 500mA
19W: 3000 K: 149 Lm/Watt at 500mA
26W: 4000 K: 154 Lm/Watt at 700mA
26W: 3000 K: 148 Lm/Watt at 700mA
40W: 4000 K: 141 Lm/Watt at 1050mA
40W: 3000 K: 136 Lm/Watt at 1050mA

Code	Description	Kg
88829_	ROLLER 12 LED 1x100W max. PAR30/E27 Pendant	1,400
88825_	ROLLER 12 LED 1x50W max. R111/G53 Pendant	1,350
88826_	ROLLER 12 LED R111/GU10 Pendant	1,350
88827_ *	ROLLER 12 LED CHIP Pendant 19W	3,100
88830_ *	ROLLER 12 LED CHIP Pendant 26W	3,100
88834_ *	ROLLER 12 LED CHIP Pendant 40W	3,100

* For dimmer version add letter **"D"** at the end of product code.

ROLLER LED CHIP: SPOT



ROLLER LED CHIP: MEDIUM



ROLLER LED CHIP: WIDE



ROLLER AS - PENDANT



IP 20 | LED Lamp | 850°C | Included | R111 LED G53 | R111 LED GU10 | PAR30 LED E27

- Aluminium body, painted electrostatically in selected colour (inside and outside the same colour at standard version) or plated (inner part in black colour).
- Aluminium rosette ⌀100mm.
- 1m suspension cable, adjustable.
- 230V/50Hz.

Code	Description		Kg
888331	ROLLER AS 1x100W max. LED PAR30/E27 Pendant	60cm	2,000
888332	ROLLER AS 1x100W max. LED PAR30/E27 Pendant	80cm	2,250
888333	ROLLER AS 1x100W max. LED PAR30/E27 Pendant	100cm	2,500
888311	ROLLER AS 1x50W max. LED R111/G53 Pendant	60cm	2,000
888312	ROLLER AS 1x50W max. LED R111/G53 Pendant	80cm	2,250
888313	ROLLER AS 1x50W max. LED R111/G53 Pendant	100cm	2,500
888321	ROLLER AS LED R111/GU10 Pendant	60cm	1,900
888322	ROLLER AS LED R111/GU10 Pendant	80cm	2,150
888323	ROLLER AS LED R111/GU10 Pendant	100cm	2,400

LED COLOUR CODES: 2 Warm 3 Neutral

BEAM CODES: 01 spot 02 medium 03 wide

Colour Codes: 0 Colours 1 White 2 Titan 3 Black 4 Chrome 5 matt Alum.