

*ELECTRA is an minimal applique with LED lamp GU10 or LED CHIP.
It is ideal for hotels, reception halls, bars, restaurants, houses etc.*

Technical Features

- Body from aluminium profile painted electrostatically in selected colour or plated.
- Mounting base from aluminium, painted electrostatically in selected colour or plated.

For LED Version


- Pure light without IR/UV radiation.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation with 230V/50Hz.

Upon request:

Available with highest colour rendering index (CRI)

ELECTRA

ELECTRA 1




CE	F	⊕	IP 20	LED	5 YEARS WARRANTY	ta 25°C	850°C
----	---	---	-------	-----	------------------	---------	-------



- Aluminium body.
- Opal PMMA diffuser.
- 230V/50Hz.
- Dimmer Phase Cut.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
122 Lm/W at 4000 K
115 Lm/W at 3000 K

Code	Description	Kg
85930	ELECTRA 1 LED Up/Down 4W+4W Warm	0,800
85931	ELECTRA 1 LED Up/Down 4W+4W Neutral	0,800

ELECTRA 2



CE	F	⊕	IP 20	LED	5 YEARS WARRANTY	ta 25°C	850°C
----	---	---	-------	-----	------------------	---------	-------



- Version for PAR 16 LED GU10 or LED CHIP.
- Aluminium body.
- 230V/50Hz.
- Dimmer Phase Cut (for LED CHIP version).
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
122 Lm/W at 4000 K
115 Lm/W at 3000 K

Code	Description	Kg
85935	ELECTRA 2 Up/Down 2xGU10	0,700
85933	ELECTRA 2 LED Up/Down 4W+4W Warm	0,800
85934	ELECTRA 2 LED Up/Down 4W+4W Neutral	0,800

Colour Codes:					
0	Colours	1	White	2	Titan
3	Black	4	Chrome	5	matt Alum.



