



*BOX UP DOWN combines stringent basic geometry with perfect contemporary style. Uniformly illuminated, without annoying reflections, it gives a strong architectural identity to various working areas (offices, stores, houses etc). It is available in five dimensions: 300, 400, 620, 920 and 1200mm.*

### **Technical Features**



- Aluminium body, painted electrostatically in selected colour.
- Aluminium spot base, painted electrostatically in selected colour.
- Opal plexi glass cover.
- Direct and indirect illumination.
- Pure light without IR/UV radiation.
- Efficient thermal management.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation on 230V-50/60Hz.

### **Upon Request**

- Connection for emergency lighting system, for one or three hours.

# BOX UP DOWN

## BOX AVRA 300 UP DOWN LED





- High efficient opal plexiglass cover.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
126 Lm/W at 4000K  
120 Lm/W at 3000K

Code	Description
8210012	Box Avra 300 Up Down LED 22W Warm
8210013	Box Avra 300 Up Down LED 22W Neutral

For dimmer version add letter "D" at the end of product code.

## BOX AVRA 400 UP DOWN LED




- High efficient opal plexiglass cover.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
203 Lm/W at 4000K 300mA  
192 Lm/W at 3000K 300mA

Code	Description
8210052	Box Avra 400 Up Down LED 29W Warm
8210053	Box Avra 400 Up Down LED 29W Neutral

For dimmer version add letter "D" at the end of product code.

## BOX AVRA 640 UP DOWN LED



- High efficient opal plexiglass cover.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
189 Lm/W at 4000K 350mA  
182 Lm/W at 3000K 350mA


Code	Description
8210092	Box Avra 640 Up Down LED 33W Warm
8210093	Box Avra 640 Up Down LED 33W Neutral

For dimmer version add letter "D" at the end of product code.

# BOX UP DOWN

# ARCHITECTURAL SURFACE & PENDANT LUMINAIRES

## BOX AVRA 940 UP DOWN LED




- High efficient opal plexiglass cover.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
206 Lm/W at 4000K 250mA  
195 Lm/W at 3000K 250mA

Code	Description
8210132	Box Avra 940 Up Down LED 96W Warm
8210133	Box Avra 940 Up Down LED 96W Neutral

For dimmer version add letter "D" at the end of product code.

## BOX AVRA 1200 UP DOWN LED



- High efficient opal plexiglass cover.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
189 Lm/W at 4000K 350mA  
182 Lm/W at 3000K 350mA

Code	Description
8210172	Box Avra 1200 Up Down LED 132W Warm
8210173	Box Avra 1200 Up Down LED 132W Neutral

For dimmer version add letter "D" at the end of product code.

### Colour Codes:

0 Colours 1 White 2 Titan 3 Black

BOX UP DOWN

ARCHITECTURAL SURFACE & PENDANT LUMINAIRES



# ARCHITECTURAL SURFACE & PENDANT LUMINAIRES

