



*This luminaire combines the architectural style with the efficiency. It produces perfect lighting conditions without annoying reflections and that is why it can be used from entrance areas to offices. It escapes the restrictions of the T16 lamp by using LED lighting points that can have any spacing pitch and this gives the light line enormous flexibility.*

*The visual benefit: The continuous-row system is illuminated absolutely uniformly from beginning to end, is economically efficient, is maintenance-free and it has long service life.*

## **Technical Features**



- Housing from aluminium profile, painted electrostatically in selected colour.
- Flow recuperator in white colour.
- Pure light without IR/UV radiation.
- Efficient thermal management.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation on 230V-50/60Hz.

## **Upon request:**

- Available with highest colour rendering index (CRI).
- Connection for operation with electronic dimmable ballast.

# HIGH SYSTEM EX LED




## HIGH SYSTEM EX H



- Aluminium body.
- High efficient cover in opal PMMA.
- Power supply with rosette (not included).
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
203 Lm/W at 4000 K at 300mA  
192 Lm/W at 3000 K at 300mA

Code	Description	L	Kg
8241603	High System Ex H Led 23W Neutral	200	2,100
8241602	High System Ex H Led 23W Warm	200	2,100

## HIGH SYSTEM EX



- Aluminium body.
- High efficient anaglyph cover.
- Suspension and power supply (not included).
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
203 Lm/W at 4000 K at 300mA  
192 Lm/W at 3000 K at 300mA

Code	Description	L	Kg
96601	High System Ex Led 24W Neutral	200	2,700
96602	High System Ex Led 24W Warm	200	2,700
96605	High System Ex Led 44W Neutral	320	4,600
96606	High System Ex Led 44W Warm	320	4,600
96609	High System Ex Led 65W Neutral	460	6,200
96610	High System Ex Led 65W Warm	460	6,200

## POWER SUPPLY - SUSPENSIONS

Code	Description	L	Kg
90042	Power Supply with rosette Ø80 (for EX H edition)	2000	0,200
90043	Power Supply with rosette Ø70 (for EX H edition)	2000	0,200
90057	Power Supply + Suspension (for EX edition)	1000	0,200
90058	Power Supply + Suspension (for EX edition)	1500	0,200
90059	Power Supply + Suspension (for EX edition)	2000	0,200

### Colour Codes:

0 Colours 1 White 2 Titan 3 Black 5 Matt Alum. 8 Metal Colours

# ARCHITECTURAL SURFACE & PENDANT LUMINAIRES

HIGH SYSTEM EX LED

ARCHITECTURAL SURFACE & PENDANT LUMINAIRES

