

MINI AGIS

CONTINUOUS LUMINAIRES



A simple tubular luminaire with wide light distribution and suitable - adaptable to various architectural geometries and lighting applications

Technical Features

- PMMA body.
- Plastic heads.
- Suspension and power supply not included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
140 Lm/W at 4000 K
133 Lm/W at 3000 K



Colour Codes:		
1	White	3 Black

CE

F

IP 40


LED

5 YEARS WARRANTY

ta 25°C

24VDC

Code	Description	L
85050	Mini Agis 5W 24V IP40 Warm	500
85051	Mini Agis 5W 24V IP40 Neutral	500
85052	Mini Agis 10W 24V IP40 Warm	1000
85053	Mini Agis 10W 24V IP40 Neutral	1000
85054	Mini Agis 15W 24V IP40 Warm	1500
85055	Mini Agis 15W 24V IP40 Neutral	1500
85056	Mini Agis HO 7,5W 24V IP40 Warm	500
85057	Mini Agis HO 7,5W 24V IP40 Neutral	500
85058	Mini Agis HO 15W 24V IP40 Warm	1000
85059	Mini Agis HO 15W 24V IP40 Neutral	1000
85060	Mini Agis HO 22,5W 24V IP40 Warm	1500
85061	Mini Agis HO 22,5W 24V IP40 Neutral	1500





MINI AGIS

POWER SUPPLY



- For pendant use.
- Plastic body.
- With transparent cable 2x0,75mm².
- Round version.






Code	Description	L	Kg
805512	Power Supply with Rosette Ø75	500	0,060
805513	Power Supply with Rosette Ø75	1000	0,120
805514	Power Supply with Rosette Ø75	1500	0,180
805515	Power Supply with Rosette Ø75	2500	0,240

SUSPENSION FOR LUMINAIRE SYNTHESIS



- Stainless steel cable and regulators.

Code	Description	L	Kg
805508	Single Suspension	500	0,050
805509	Single Suspension	1000	0,100
805510	Single Suspension	1500	0,150
805511	Single Suspension	2000	0,200



Code	Description	Dimensions
805516	System Connector Single	60x60x40
805517	System Connector Corner	60x60x40
805518	System Connector Straight	60x60x40
805519	System Connector T	60x60x40
805520	System Connector Cross	60x60x40

SUSPENSION KIT FOR SINGLE LUMINAIRE




Code	Description	Kg
805521	Set for surface mounted installation (set 2 pieces)	0,050
805522	Set for pendant installation 1m. (set 2 pieces)	0,050

MINI AGIS

CONTINUOUS LUMINAIRES

ORDER SAMPLE FOR SYNTHESIS SUSPENSION



LED DRIVERS 24V DC

Code	Description
800071	Led Driver IP20 30W 24V DC
800058	Led Driver IP20 150W 24V DC
800088	Led Driver IP20 320W 24V DC
800089	Led Driver IP67 60W 24V DC
800062	Led Driver IP64 90W 24V DC
800092	Led Driver IP67 150W 24V DC
800077	Led Driver IP20 100W 24V DC DIM 1-10V DC
800093	Led Driver IP65 150W 24V DC DIM 1-10V DC
800094	Led Driver IP65 320W 24V DC DIM 1-10V DC



