




Technical Features

- Aluminium or plastic body.
- High efficient polycarbonate satin cover.
- Pure light without IR/UV radiation.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation on 230V/50Hz.

ROOM

WALL LIGHTING INTERIOR



ROOM 1



- Aluminium body.
- High efficient diffuser in opal PMMA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
140 Lm/W at 4000 K
133 Lm/W at 3000 K

Code	Description
85884	Room 1 6W Warm
85885	Room 1 6W Neutral


ROOM 2



- Aluminium body.
- High efficient diffuser in opal PMMA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
140 Lm/W at 4000 K
133 Lm/W at 3000 K

Code	Description
85886	Room 2 12W Warm
85887	Room 2 12W Neutral


ROOM 3



- Plastic body.
- Luminous Efficacy:
85Lm/W at 4000 K CRI: min. 80
80Lm/W at 3000 K CRI: min. 80

Code	Description
85888	Room 3 4W Warm
85889	Room 3 4W Neutral



ROOM 4



- Plastic body.
- Luminous Efficacy:
85Lm/W at 4000 K CRI: min. 80
80Lm/W at 3000 K CRI: min. 80

Code	Description
85894	Room 4 4W Warm
85895	Room 4 4W Neutral

ROOM 5




- Plastic body.
- Luminous Efficacy:
100 Lm/W at 4000 K CRI: min. 80
95 Lm/W at 3000 K CRI: min. 80

Code	Description
85890	Room 5 4W Warm
85891	Room 5 4W Neutral

ROOM

WALL LIGHTING INTERIOR



ROOM 6



- Aluminium body.
- Lampholder E14.

Code	Description
85892	Room 6 E14


ROOM 7



- Aluminium body.
- Lampholder E14.

Code	Description
85893	Room 7 E14


ROOM 8



- Aluminium body.
- Luminous Efficacy:
85Lm/W at 4000 K CRI: min. 80
80Lm/W at 3000 K CRI: min. 80

Code	Description
85896	Room 8 1,5W Warm
85897	Room 8 1,5W Neutral



ROOM 9



- Aluminium body.
- Luminous Efficacy:
140 Lm/W at 4000 K CRI: min. 80
133 Lm/W at 3000 K CRI: min. 80

Code	Description
85912	Room 9 8W Warm
85913	Room 9 8W Neutral

ROOM 10




- Aluminium body.
- Luminous Efficacy:
140 Lm/W at 4000 K CRI: min. 80
133 Lm/W at 3000 K CRI: min. 80

Code	Description
85936	Room 10 8W Warm
85937	Room 10 8W Neutral

ROOM

WALL LIGHTING INTERIOR


ROOM 11



- Plastic body.
- Luminous Efficacy:
100 Lm/W at 4000 K CRI: min. 80
95 Lm/W at 3000 K CRI: min. 80

Code	Description
85914	Room 11 4W Warm
85915	Room 11 4W Neutral


ROOM 12



- Plastic body.
- Luminous Efficacy:
100 Lm/W at 4000 K CRI: min. 80
95 Lm/W at 3000 K CRI: min. 80

Code	Description
85938	Room 12 10W Warm
85939	Room 12 10W Neutral

ROOM 13



- Aluminium body.
- Luminous Efficacy:
140 Lm/W at 4000 K CRI: min. 80
133 Lm/W at 3000 K CRI: min. 80

Code	Description
85803	Room 13 8W Warm
85804	Room 13 8W Neutral

Colour Codes:

0 Colours 1 White 2 Titan 3 Black