


# MELLITA

## WALL LIGHTING INTERIOR



*MELLITA is an minimal applique with LED source.  
It is ideal for hotels, reception halls, bars, restaurants, houses etc.*



### Technical Features

- Aluminium body, painted electrostatically in selected colour and PMMA.
- Aluminium mounting base.
- Connection for operation with 230V/50Hz.



# MELLITA

## MELLITA R



CE

F

⏚

IP 40

LED

850°C

5 years WARRANTY



ta  
25°C

Included

- Aluminium body, painted electrostatically in selected colour.
- Driver 24V DC included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
140Lm/W at 4000 K  
133Lm/W at 3000 K

Code	Description	Kg
85152	MELLITA R 8W Warm	0,800
85153	MELLITA R 8W Neutral	0,800

## MELLITA SQ



CE

F

⏚

IP 40

LED

850°C

5 years WARRANTY



ta  
25°C

Included

- Aluminium body, painted electrostatically in selected colour.
- Driver 24V DC included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
140Lm/W at 4000 K  
133Lm/W at 3000 K

Code	Description	Kg
85154	MELLITA SQ 10W Warm	0,800
85155	MELLITA SQ 10W Neutral	0,800

## MELLITA TRIPLE



CE

F

⏚

IP 40

LED

850°C

5 years WARRANTY

ta  
25°C

Included

- Aluminium body, painted electrostatically in selected colour.
- Driver 24V DC included.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:  
140Lm/W at 4000 K  
133Lm/W at 3000 K

Code	Description	Kg
85156	MELLITA TRIPLE 11W Warm	1,000
85157	MELLITA TRIPLE 11W Neutral	1,000

Colour Codes:

0 Colours

1 White

2 Titan

3 Black



