


*EASYLINE NEMESIS RECESSED is an ideal solution for small showcases, homes, rest areas, museums, hotels, exhibition halls and generally for many decorative and architectural projects. Available in Wide light distribution can be the perfect tool for wide range of applications.*

### Technical Features

- Aluminium body, painted electrostatically in selected colour.
- Reflector in glossy black colour at Wide version.
- Pure light without IR/UV radiation.
- Low glare (UGR < 19).
- Efficient thermal management.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation with constant current.

### Upon Request

- Available with highest colour rendering index (CRI).




# EASYLINE NEMESIS

## Professional Recessed Luminaires


### EASYLINE NEMESIS BL (with Trim)



- Aluminium body.
- Reflector in Wide version.
- CRI: min. 90 / SDCM: 3
- Luminous Efficacy (for HE version):  
4000 K: 146 Lm/Watt at 350mA  
3000 K: 143 Lm/Watt at 350mA
- Luminous Efficacy (for HO version):  
4000 K: 139 Lm/Watt at 700mA  
3000 K: 136 Lm/Watt at 700mA



Holes  
67mm x (L+6mm)




Code	Description (for HE version)
960301	EASYLINE NEMESIS BL 1 12W
960302	EASYLINE NEMESIS BL 2 22W
960303	EASYLINE NEMESIS BL 3 32W
960304	EASYLINE NEMESIS BL 4 41W
960305	EASYLINE NEMESIS BL 5 51W
Code	Description (for HO version)
960306	EASYLINE NEMESIS BL 1 23W
960307	EASYLINE NEMESIS BL 2 43W
960308	EASYLINE NEMESIS BL 3 64W
960309	EASYLINE NEMESIS BL 4 84W
960310	EASYLINE NEMESIS BL 5 105W

For dimmer version add letter "D" at the end of product code.


### EASYLINE NEMESIS BL (Trimless)



- Aluminium body.
- Reflector in Wide version.
- CRI: min. 90 / SDCM: 3
- Luminous Efficacy (for HE version):  
4000 K: 146 Lm/Watt at 350mA  
3000 K: 143 Lm/Watt at 350mA
- Luminous Efficacy (for HO version):  
4000 K: 139 Lm/Watt at 700mA  
3000 K: 136 Lm/Watt at 700mA



Holes  
82mm x (L+6mm)



Code	Description (for HE version)
960401	EASYLINE NEMESIS TRIMLESS BL 1 12W
960402	EASYLINE NEMESIS TRIMLESS BL 2 22W
960403	EASYLINE NEMESIS TRIMLESS BL 3 32W
960404	EASYLINE NEMESIS TRIMLESS BL 4 41W
960405	EASYLINE NEMESIS TRIMLESS BL 5 51W
Code	Description (for HO version)
960406	EASYLINE NEMESIS TRIMLESS BL 1 23W
960407	EASYLINE NEMESIS TRIMLESS BL 2 43W
960408	EASYLINE NEMESIS TRIMLESS BL 3 64W
960409	EASYLINE NEMESIS TRIMLESS BL 4 84W
960410	EASYLINE NEMESIS TRIMLESS BL 5 105W

For dimmer version add letter "D" at the end of product code.

<b>LED COLOUR CODES:</b> 2 Warm 3 Neutral	<b>BEAM CODES:</b> 03 wide	<b>Colour Codes:</b> 0 Colours 1 White 2 Titan 3 Black 9 Anod.
--	-------------------------------	---

# EASYLINE NEMESIS

## Professional Recessed Luminaires


### END CAP TRIM



### END CAP TRIMLESS




### CORNER TRIM 120x120




### TRUNKING CONNECTORS



### CORNER TRIMLESS 120x120



### CABLE CONNECTIONS



- Body from extruded aluminium profile.

Code	Description
99612	Easyline End Cap (pair) Trim
99617	Easyline End Cap (pair) Trimless



- Body from extruded aluminium profile.  
 - PMMA diffuser in opal, microprismatic, microprismatic opal or anaglyph edition or blind aluminium cover painted.

Code	Description
996221	Easyline corner profile Trim metal blind
9962311	Easyline corner profile Trimless metal blind
968255	Trunking Metal Connectors pair



- PTFE cable connections.  
 - 3pole for standard version and 5pole for dimmer.

Code	Description	L	Kg
996510	Cable connections 3x0,75mm <sup>2</sup> /m		0,200
996511	Cable connections 3x0,75mm <sup>2</sup>	1500	0,280
996512	Cable connections 3x0,75mm <sup>2</sup>	2500	0,380
996520	Cable connections 5x0,75mm <sup>2</sup> /m		0,230
996521	Cable connections 5x0,75mm <sup>2</sup>	1500	0,300
996522	Cable connections 5x0,75mm <sup>2</sup>	2500	0,440


#### Colour Codes:

0 Colours 1 White 2 Titan 3 Black 9 Anod.

# EASYLINE NEMESIS

## Professional Recessed Luminaires


### EASYLINE BRACKET (Trim)



- Metal suspension bracket for Trim edition.
- Required 1pc per 1m profile length.

Code	Description	Kg
900211	Suspension Bracket Easyline Trim	0,100


### EASYLINE BRACKET (Trimless)



- Metal suspension bracket for surface edition as trimless.
- Required 1pc per 1m profile length.

Code	Description	Kg
900212	Suspension Bracket Easyline for Trimless & Surface Trimless *	0,100

### EASYLINE BRACKET (Surface Luminaire as Trimless)



\* Surface profile with Trimless edition brackets

