

URANIA

Decorative Lighting



Technical Features

- Aluminium reflector, painted in selected colour or plated.
- Suspension with 2m textile cord 3x0,75mm².

Upon request

- Textile cord in white or red colour.

Suggested Lamps Solutions

Urania ø300: CFL GLOBE 7W, 286Lm, in 2700 K or 4000 K.


Urania ø400: CFL TUBE 11W, 600Lm, in 2700 K or 4000 K.

Urania ø500: CFL GLOBE 23W, 1371Lm, in 2700 K or 4000 K.

For LED Version


- Pure light without IR/UV radiation.
- Efficient thermal management.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation on 230V/50Hz.

FOR LED VERSION



URANIA


URANIA ø300



- Version for CFL/E27.
- 2m suspension cable, adjustable.
- Flat finish.
- Aluminium rosette ø70mm.

Code	Description	Kg
87609	Urania Suspension	0,230
80740	Urania Reflector ø300	0,610


URANIA ø400



- Version for CFL/E27.
- 2m suspension cable, adjustable.
- Flat finish.
- Aluminium rosette ø70mm.

Code	Description	Kg
87609	Urania Suspension	0,230
80739	Urania Reflector ø400	0,710

URANIA ø500



- Version for CFL/E27.
- 2m suspension cable, adjustable.
- Flat finish.
- Aluminium rosette ø70mm.

Code	Description	Kg
87609	Urania Suspension	0,230
80738	Urania Reflector ø500	1,140

Colour Codes:


0 Colours 1 White 2 Titan 3 Black 4 Chrome* 8 Metallic

* Only for suspension

URANIA

Decorative Lighting


URANIA Ø300 20W LED



- 2m suspension cable, adjustable.
- Flat finish.
- Aluminium rosette Ø100mm.
- Dimmer Phase Cut.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
20W: 4000 K: 95 Lm/Watt
20W: 3000 K: 90 Lm/Watt

Code	Description	Kg
87612	Urania Suspension	0,200
80746	Urania Reflector Ø300 Warm	0,800
80747	Urania Reflector Ø300 Neutral	0,800


URANIA Ø400 30W LED



- 2m suspension cable, adjustable.
- Flat finish.
- Aluminium rosette Ø100mm.
- Dimmer Phase Cut.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
30W: 4000 K: 95 Lm/Watt
30W: 3000 K: 90 Lm/Watt

Code	Description	Kg
87612	Urania Suspension	0,200
80748	Urania Reflector Ø400 Warm	0,900
80749	Urania Reflector Ø400 Neutral	0,900

URANIA Ø500 40W LED



- 2m suspension cable, adjustable.
- Flat finish.
- Driver placed in rosette.
- 40W power consumption driven at 1050mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
40W: 4000 K: 141 Lm/Watt
40W: 3000 K: 136 Lm/Watt

Code	Description	Kg
87613*	Urania Suspension 40W Led	0,400
80750	Urania Reflector Ø500 Warm	1,330
80751	Urania Reflector Ø500 Neutral	1,330

* For dimmer version add letter "D" at the end of product code.

Colour Codes:

0 Colours 1 White 2 Titan 3 Black 4 Chrome* 8 Metallic

* Only for suspension

