


BEAM 20

WALL LIGHTING INTERIOR



Surface wall mounted luminaire with LED lamp G9, ideal for a wide range of indoor applications. Available with one or two-way light distribution and with different beam angles.


Technical Features

- Aluminium body, painted electrostatically in selected colour.
- Aluminium lampholder - mounting base.
- Tempered protection glass.
- Beam-angle configuration diaphragm made of aluminium.
- Easy - no tools - body mounting.

Upon request

Special beam editions.


Versions




BEAM 20 - ONE WAY
40°




BEAM 20 - ONE WAY
100°



BEAM 20 - TWO WAY
40° / 100°





BEAM 20 - TWO WAY
100° / 100°



BEAM 20 - TWO WAY
40° / 40°

BEAM 20



BEAM 20 - ONE WAY G9



- For QT 14/G9 lamp.
- Aluminium body.

Code	Description	Kg
85793	BEAM 20 - ONE WAY G9 40°	0,520
85794	BEAM 20 - ONE WAY G9 100°	0,520

BEAM 20 - TWO WAY G9



- For QT 14/G9 lamp.
- Aluminium body.

Code	Description	Kg
85790	BEAM 20 - TWO WAY G9 40° / 100°	0,520
85791	BEAM 20 - TWO WAY G9 100° / 100°	0,520
85792	BEAM 20 - TWO WAY G9 40° / 40°	0,520

Colour Codes:

0 Colours 1 White 2 Titan 3 Black 4 Chrome



