



NANO 3

Nano 3 is a suspended luminaire with cylindrical or square shape. It's elegant minimal design raises the architectural interest, while it's LED source ensures excellent performance with maximum energy efficiency. It can be produced with different heights upon request. It is the perfect choice for reception halls, bars, restaurants, houses etc.

NANO 6

Nano 6 is a surface mounted or suspended luminaire with cylindrical shape. It's elegant minimal design raises the architectural interest, while the fact that it can be produced in several heights upon request makes it the perfect choice for reception halls, bars, restaurants, houses etc.

Technical Features

- Body from aluminium profile painted electrostatically in selected colour or plated.
- Mounting base from aluminium, painted electrostatically in selected colour or plated.

For LED Version

- Pure light without IR/UV radiation.
- Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).
- Connection for operation with Constant Current.


Upon request:

Available with highest colour rendering index (CRI)

NANO

Surface & Pendant Spotlights


NANO 5 E27 - SURFACE



- Version for E27 lamp.
- Aluminium body.
- 230V/50Hz.
- Suggested lamp solution: Osram Parathom classic globe95 100, E27, 2700K, 12W, 1521Lm.

Code	Description	Kg
88074	NANO 5 E27	0,270


NANO 6 - SURFACE



- Version for PAR 16 LED GU10 lamp.
- Aluminium body.
- Inner plastic ring in black colour.
- 230V/50Hz.

Code	Description	Kg
88054	NANO 6 1x50W PAR16 LED GU10	0,270


NANO 6 PLEXI - SURFACE



- Version for PAR 16 LED GU10 lamp.
- Aluminium body.
- Opal PMMA diffuser.
- 230V/50Hz.

Code	Description	Kg
88060	NANO 6 PLEXI 1x50W PAR16 LED GU10	0,220


NANO 6 AS - SURFACE



- Version for PAR 16 LED GU10 lamp.
- Aluminium body in asymmetrical version.
- Inner plastic ring in black colour.
- 230V/50Hz.

Code	Description	Kg
88056	NANO 6 AS 1x50W PAR16 LED GU10	0,280

NANO 6 AS PLEXI - SURFACE




- Version for PAR 16 LED GU10 lamp.
- Aluminium body in asymmetrical version.
- Opal PMMA diffuser.
- 230V/50Hz.

Code	Description	Kg
88062	NANO 6 AS PLEXI 1x50W PAR16 LED GU10	0,230

NANO

Surface & Pendant Spotlights


NANO 6 - PENDANT



- Pendant version for PAR 16 LED GU10 lamp.
- Aluminium body.
- Inner plastic ring in black colour.
- 230V/50Hz.

Code	Description	Kg
88055	NANO 6 1x50W PAR16 LED GU10	0,750


NANO 6 PLEXI - PENDANT



- Pendant version for PAR 16 LED GU10 lamp.
- Aluminium body.
- Opal PMMA diffuser.
- 230V/50Hz.


Code	Description	Kg
88063	NANO 6 PLEXI 1x50W PAR16 LED GU10	0,670

NANO 6 AS - PENDANT




- Pendant version for PAR 16 LED GU10 lamp.
- Aluminium body in asymmetrical version.
- Inner plastic ring in black colour.
- 230V/50Hz.

Code	Description	Kg
88096	NANO 6 AS 1x50W PAR16 LED GU10 40cm	0,800
88097	NANO 6 AS 1x50W PAR16 LED GU10 60cm	0,900



NANO 6 AS PLEXI - PENDANT





- Pendant version for PAR 16 LED GU10 lamp.
- Aluminium body in asymmetrical version.
- Opal PMMA diffuser.
- 230V/50Hz.

Code	Description	Kg
88064	NANO 6 AS PLEXI 1x50W PAR16 LED GU10 40cm	0,720
88066	NANO 6 AS PLEXI 1x50W PAR16 LED GU10 60cm	0,820

NANO

Surface & Pendant Spotlights


NANO 3 - PENDANT




- Pendant version for LED CHIP.
- Aluminium body.
- 230V/50Hz.
- 3W power consumption driven at 350mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
3W: 4000 K: 55 Lm/Watt
3W: 3000 K: 52 Lm/Watt

Code	Description	Kg
88050	NANO 3 LED 3W 22cm	0,600
88051	NANO 3 LED 3W 35cm	0,800


SPOT





MEDIUM



WIDE




NANO 3 SQ - PENDANT




- Pendant version for LED CHIP.
- Aluminium body.
- 230V/50Hz.
- 3W power consumption driven at 350mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
3W: 4000 K: 55 Lm/Watt
3W: 3000 K: 52 Lm/Watt

Code	Description	Kg
88070	NANO 3 SQ LED 3W 22cm	0,600
88071	NANO 3 SQ LED 3W 35cm	0,800


SPOT



MEDIUM





WIDE



NANO

Surface & Pendant Spotlights


NANO 3 - FLEX




- Surface flex version for LED CHIP.
- Aluminium body.
- 230V/50Hz.
- 3W power consumption driven at 350mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
3W: 4000 K: 55 Lm/Watt
3W: 3000 K: 52 Lm/Watt

Code	Description	Kg
88057	NANO 3 LED FLEX 3W 40cm	0,700
88058	NANO 3 LED FLEX 3W 60cm	0,850
88059	NANO 3 LED FLEX 3W 80cm	1,000


SPOT



MEDIUM



WIDE



LED COLOUR CODES:	BEAM CODES:	Colour Codes:
2 Warm 3 Neutral	01 spot 02 medium 03 wide	0 Colours 1 White 2 Titan 3 Black 4 Chrome 5 matt Alum.

NANO

Surface & Pendant Spotlights





