


SLOTLIGHT

PROFESSIONAL SURFACE & PENDANT LUMINAIRES



This luminaire combines the architectural style with the efficiency. It produces perfect lighting conditions without annoying reflections and that is why it can be used from entrance areas to offices. It escapes the restrictions of the T16 lamp by using LED lighting points that can have any spacing pitch and this gives the light line enormous flexibility. The visual benefit: The continuous-row system is illuminated absolutely uniformly from beginning to end, is economically efficient, is maintenance-free and it has long service life.


Technical Features

- Housing from aluminium profile, painted electrostatically in selected colour.
- Removable plastic heads.
- High efficient diffuser in opal PMMA for plexi version and aluminium louvre with high efficient satin PMMA cover for louvre version.
- Flow recuperator in white colour.
- Pure light without IR/UV radiation.
- Efficient thermal management.
- Connection for operation on 230V-50/60Hz.
- SDCM: 3 / Operation life: 50,000 hours with efficiency > 80% of the initial luminous flux (L80B10).


Upon request:

- Available with highest colour rendering index (CRI).
- Available in IP54 protection for plexi version.
- Connection for emergency lighting system, for one or three hours.

SLOTLIGHT LED





SLOTLIGHT ANAGLYPH LED



SLOTLIGHT

SLOTLIGHT LED




- Aluminium body.
- Removable plastic heads.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.
- Suspension and power supply not included.
- CRI: min. 80
- Luminous Efficacy:
201 Lm/Watt 4000K at 350mA
189 Lm/Watt 3000K at 350mA

Code	Description	L	Kg
90173	Slotlight Led 16W Neutral	600	1,800
90175	Slotlight Led 33W Neutral	1160	3,500
90177	Slotlight Led 49W Neutral	1720	4,500
90179	Slotlight Led 65W Neutral	2280	5,900
90180	Slotlight Led 16W Warm	600	1,800
90182	Slotlight Led 33W Warm	1160	3,500
90184	Slotlight Led 49W Warm	1720	4,500
90186	Slotlight Led 65W Warm	2280	5,900

For dimmer version add letter “D” at the end of product code.

SLOTLIGHT ANAGLYPH LED



- Aluminium body.
- Removable plastic heads.
- Diffuser in opal of 10mm PMMA.
- Flow recuperator in white colour.
- Suspension and power supply not included.
- CRI: min. 80
- Luminous Efficacy:
201 Lm/Watt 4000K at 350mA
189 Lm/Watt 3000K at 350mA




Code	Description	L	Kg
90873	Slotlight An. Led 16W Neutral	600	1,800
90875	Slotlight An. Led 33W Neutral	1160	3,500
90877	Slotlight An. Led 49W Neutral	1720	4,500
90879	Slotlight An. Led 65W Neutral	2280	5,900
90880	Slotlight An. Led 16W Warm	600	1,800
90882	Slotlight An. Led 33W Warm	1160	3,500
90884	Slotlight An. Led 49W Warm	1720	4,500
90886	Slotlight An. Led 65W Warm	2280	5,900

For dimmer version add letter “D” at the end of product code.

Colour Codes:					
0	Colours	1	White	2	Titan
3	Black	5	matt Alum.	9	Anodized

SLOTLIGHT

SLOTLIGHT LOUVRE LED



PROFESSIONAL SURFACE & PENDANT LUMINAIRES



- Aluminium body.
- Removable plastic heads.
- Aluminium louvre with high efficient satin PMMA cover for led source.
- Suspension and power supply not included.
- CRI: min. 80
- Luminous Efficacy:
201 Lm/Watt 4000K at 350mA
189 Lm/Watt 3000K at 350mA

Code	Description	L	Kg
90273	Slotlight Louvre Led 16W Neutral	592	1,800
90275	Slotlight Louvre Led 33W Neutral	1152	3,500
90277	Slotlight Louvre Led 49W Neutral	1712	4,500
90279	Slotlight Louvre Led 65W Neutral	2282	5,900
90280	Slotlight Louvre Led 16W Warm	592	1,800
90282	Slotlight Louvre Led 33W Warm	1152	3,500
90284	Slotlight Louvre Led 49W Warm	1712	4,500
90286	Slotlight Louvre Led 65W Warm	2282	5,900

For dimmer version add letter “D” at the end of product code.

Colour Codes:

0 Colours 1 White 2 Titan 3 Black 5 matt Alum. 9 Anodized



SLOTLIGHT

PROFESSIONAL SURFACE & PENDANT LUMINAIRES



SLOTLIGHT

SLOTLIGHT DOUBLE LED



PROFESSIONAL SURFACE & PENDANT LUMINAIRES





- Aluminium body.
- Removable plastic heads.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.
- Suspension and power supply not included.
- CRI: min. 80
- Luminous Efficacy:
201 Lm/Watt 4000K at 350mA
189 Lm/Watt 3000K at 350mA

Code	Description	L	Kg
90374	Slotlight Double Led 2x33W Neutral	1160	5,200
90376	Slotlight Double Led 2x49W Neutral	1720	8,760
90380	Slotlight Double Led 2x33W Warm	1160	5,200
90382	Slotlight Double Led 2x49W Warm	1720	8,760

For dimmer version add letter “D” at the end of product code.

SLOTLIGHT DOUBLE ANAGLYPH LED



- Aluminium body.
- Removable plastic heads.
- Diffuser in opal of 10mm PMMA.
- Flow recuperator in white colour.
- Suspension and power supply not included.
- CRI: min. 80
- Luminous Efficacy:
201 Lm/Watt 4000K at 350mA
189 Lm/Watt 3000K at 350mA

Code	Description	L	Kg
90974	Slotlight Double An. Led 2x33W Neutral	1160	8,700
90976	Slotlight Double An. Led 2x49W Neutral	1720	11,200
90980	Slotlight Double An. Led 2x33W Warm	1160	8,700
90982	Slotlight Double An. Led 2x49W Warm	1720	11,200

For dimmer version add letter “D” at the end of product code.


Colour Codes:

0 Colours 1 White 2 Titan 3 Black 5 matt Alum. 9 Anodized

SLOTLIGHT

SLOTLIGHT UP / DOWN LED

PROFESSIONAL SURFACE & PENDANT LUMINAIRES








- Aluminium body.
- Removable plastic heads.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.
- Suspension and power supply included.
- CRI: min. 80
- Luminous Efficacy:
201 Lm/Watt 4000K at 350mA
189 Lm/Watt 3000K at 350mA

Code	Description	L	Kg
92973	Slotlight U/D Led 33W+16W Neutral	1160	2,400
92974	Slotlight U/D Led 49W+33W Neutral	1720	3,570
92975	Slotlight U/D Led 49W+16W Neutral	1720	3,570
92976	Slotlight U/D Led 33W+16W Warm	1160	2,400
92977	Slotlight U/D Led 49W+33W Warm	1720	3,570
92978	Slotlight U/D Led 49W+16W Warm	1720	3,570

For dimmer version add letter “D” at the end of product code.



SLOTLIGHT

SLOTLIGHT SQUARE LED


PROFESSIONAL SURFACE & PENDANT LUMINAIRES



- Aluminium body.
- Removable plastic heads.
- High efficient diffuser in opal PMMA.
- Flow recuperator in white colour.
- Suspension and power supply not included.
- CRI: min. 80
- Luminous Efficacy:
201 Lm/Watt 4000K at 350mA
189 Lm/Watt 3000K at 350mA

Code	Description	L	Kg
90612	Slotlight Square Led 4x33W Neutral	1215	14,130
90614	Slotlight Square Led 4x49W Neutral	1780	21,350
90618	Slotlight Square Led 4x33W Warm	1215	14,130
90620	Slotlight Square Led 4x49W Warm	1780	21,350

For dimmer version add letter “D” at the end of product code.






SLOTLIGHT

PROFESSIONAL SURFACE & PENDANT LUMINAIRES



SLOTLIGHT




SLOTLIGHT + Module 50 IRA 2 Reflector



- Reflectors: Medium, Wide.
- 6W power consumption driven at 350mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
6W: 4000 K: 158 Lm/Watt
6W: 3000 K: 151 Lm/Watt

Code	Description	L	Kg
90707	Slotlight Module 50 1x IRA 2 6W Reflector	300	0,850
90708	Slotlight Module 50 2x IRA 2 6W Reflector	450	1,270




SLOTLIGHT + Module 50 DIMITRA 2 Reflector HO



- Reflectors: Spot, Medium, Wide.
- 5W power consumption driven at 500mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
5W: 4000 K: 115 Lm/Watt
5W: 3000 K: 108 Lm/Watt


Code	Description	L	Kg
90709	Slotlight Module 50 1x DIMITRA 2 5W Ref.HO	300	0,850
90710	Slotlight Module 50 2x DIMITRA 2 5W Ref.HO	450	1,270

SLOTLIGHT + Module 50 ARTEMIS 2 Diffuser Prismatic






- Beam: Diffuser.
- 5W power consumption driver at 500mA.
- 6W power consumption driven at 350mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
5W: 4000 K: 115 Lm/Watt
5W: 3000 K: 108 Lm/Watt
6W: 4000 K: 158 Lm/Watt
6W: 3000 K: 151 Lm/Watt

Code	Description	L	Kg
90711	Slotlight Module 50 1x ARTEMIS 2 5W Diffuser Prism.	300	0,850
90712	Slotlight Module 50 2x ARTEMIS 2 5W Diffuser Prism.	450	1,170
90713	Slotlight Module 50 1x ARTEMIS 2 6W Diffuser Prism.	300	0,850
90714	Slotlight Module 50 2x ARTEMIS 2 6W Diffuser Prism.	450	1,270



SLOTLIGHT



SLOTLIGHT + Module 50 ATHINA 2 Diffuser Opal



- Beam: Diffuser.
- 5W power consumption driver at 500mA.
- 6W power consumption driven at 350mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
 - 5W: 4000 K: 115 Lm/Watt
 - 5W: 3000 K: 108 Lm/Watt
 - 6W: 4000 K: 158 Lm/Watt
 - 6W: 3000 K: 151 Lm/Watt

Code	Description	L	Kg
90715	Slotlight Module 50 1x ATHINA 2 5W Diffuser Opal	300	0,770
90716	Slotlight Module 50 2x ATHINA 2 5W Diffuser Opal	450	1,160
90717	Slotlight Module 50 1x ATHINA 2 6W Diffuser Opal	300	0,770
90718	Slotlight Module 50 2x ATHINA 2 6W Diffuser Opal	450	1,160


SLOTLIGHT + Module 50 VENUS 2 Lens




- Lens: Spot, Medium, Wide.
- 3W power consumption driven at 350mA.
- 6W power consumption driven at 700mA.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
 - 3W: 4000 K: 164 Lm/Watt
 - 3W: 3000 K: 154 Lm/Watt
 - 6W: 4000 K: 152 Lm/Watt
 - 6W: 3000 K: 142 Lm/Watt

Code	Description	L	Kg
90719	Slotlight Module 50 1x VENUS 2 3W/6W Lens	300	0,770
90720	Slotlight Module 50 2x VENUS 2 3W/6W Lens	450	1,160


SPOT



MEDIUM





WIDE



SLOTLIGHT



SLOTLIGHT + Module 30 Lens



- Aluminium body.
- Lens in Spot, Medium, Wide selection.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
2W: 152 Lm/Watt at 4000K 700mA
2W: 142 Lm/Watt at 3000K 700mA

Code	Description	L	Kg
90721	Slotlight Module 30 1x2W Lens	240	0,680
90722	Slotlight Module 30 2x2W Lens	320	0,820
90723	Slotlight Module 30 3x2W Lens	400	1,070

SLOTLIGHT + Module 30 Reflector



- Aluminium body.
- Spot reflector selection.
- CRI: min. 80 / SDCM: 3
- Luminous Efficacy:
2W: 152 Lm/Watt at 4000K 700mA
2W: 142 Lm/Watt at 3000K 700mA

Code	Description	L	Kg
90724	Slotlight Module 30 1x2W Reflector	240	0,670
90725	Slotlight Module 30 2x2W Reflector	320	0,880
90726	Slotlight Module 30 3x2W Reflector	400	1,100

LED COLOUR CODES:

2 Warm 3 Neutral

BEAM CODES:

01 spot 02 medium 03 wide

Colour Codes:

0 Colours 1 White 2 Titan 3 Black 5 matt Alum. 9 Anodized


SLOTLIGHT

PROFESSIONAL SURFACE & PENDANT LUMINAIRES



SLOTLIGHT


SINGLE ADJUSTABLE SUSPENSION



- Stainless steel cable and regulators.
- **Required:**
2 pieces for up to 3m profile.

Code	Description	L	Kg
900111	Single Suspension	500	0,050
900112	Single Suspension	1000	0,100
900113	Single Suspension	1500	0,150
900114	Single Suspension	2000	0,200
900116	Single Suspension	3000	0,300

DOUBLE ADJUSTABLE SUSPENSION



- Stainless steel cable and regulators.
- **Required:**
2 pieces for up to 3m profile.

Code	Description	L	Kg
900142	Double Suspension	1000	0,070
900143	Double Suspension	1500	0,110
900144	Double Suspension	2000	0,220

POWER SUPPLY



- Plastic body.
- With transparent cable 3x0,75mm² or 5x0,50mm² for dimmer.

Code	Description	L	Kg
900122	Power Supply 3x0,75mm ² with Rosette Ø75	1000	0,120
900124	Power Supply 3x0,75mm ² with Rosette Ø75	2000	0,240
900126	Power Supply 3x0,75mm ² with Rosette Ø75	3000	0,360
900127	Power Supply 3x0,75mm ² with Rosette Ø75	4000	0,500
900162	Power Supply 5x0,50mm ² with Rosette Ø75	1000	0,120
900164	Power Supply 5x0,50mm ² with Rosette Ø75	2000	0,240
900166	Power Supply 5x0,50mm ² with Rosette Ø75	3000	0,360
900167	Power Supply 5x0,50mm ² with Rosette Ø75	4000	0,500

SLOTLIGHT

POWER SUPPLY



PROFESSIONAL SURFACE & PENDANT LUMINAIRES



- For pendant use.
- **Standard version:** Rosette from aluminium profile with 2m transparent cable 3x0,75mm² or 5x0,50mm² for dimmer or emergency versions in square or round version.
- **Up/Down version:** Rosette from aluminium profile with 2m transparent cable 5x0,50mm² or 8x0,50mm² for dimmer or emergency versions in square or round version.

Code	Description	Kg
90042	Power Supply 3x0,75mm ² L 2m Ø80	0,130
90043	Power Supply 3x0,75mm ² L 2m Ø70	0,130
90044	Power Supply 3x0,75mm ² L 2m 80x80	0,210
90045	Power Supply 3x0,75mm ² L 2m 70x70	0,200
90048	Power Supply 5x0,50mm ² L 2m Ø100	0,250
90049	Power Supply 5x0,50mm ² L 2m 100x100	0,300
90052	Power Supply 8x0,50mm ² L 2m Ø100	0,280
90053	Power Supply 8x0,50mm ² L 2m 100x100	0,330

Colour Codes:

0 Colours 1 White 2 Titan 3 Black 5 matt Alum.